Glen Dimplex
PROFESSIONAL APPLIANCES

BURCO
COMMERCIAL

Bringing quality catering products to your market

THE QUEEN'S AWARDS
FOR ENTERPRISE:
INTERNATIONAL TRADE
2012



THE QUEEN'S AWARDS FOR ENTERPRISE: INTERNATIONAL TRADE 2012

WINNER

Queen's Award for Enterprise 2012

We are honoured to be the winner of the Queen's Awards for Enterprise in International Trade. This award recognised Glen Dimplex Home Appliances and all its divisions as a company with outstanding performance in International Trade resulting in substantial growth.

Contents

Autofill Filtration Boilers | **04**

Autofill Boilers | **06**

Manual Fill Boilers | **08**

Range Cooking | **10**

Countertop Cooking | **11**

Heated Display Cabinets | **12**

Autofill FILTRATION Boilers

Our Autofill boilers are ideal for catering establishments requiring a constant large volume of hot water, where it's possible to connect to a mains water supply. Whilst we have two different ranges, we recommend users purchase a water boiler with built in filtration. This offers the best possible quality of hot water and improves the taste and consistency of the water served as well as inhibiting the formation of limescale inside the appliance, this means far less maintenance. The filter cartridges themselves are easy to replace and can be purchased from us, the machines will even tell you when its time to change them.

Reasons to choose one of our NEW Filtration water boilers:

- **Built in water filtration**
  Delivers a better, consistent tasting beverage
- **Stylish chrome tap**
- **Advanced LCD touch screen**
  Provides great user functionality and diagnostic alerts
- **Multi-language**
  10 language options, 7 of which are european
- **Choose the best water delivery temperature for your business**
  Easily vary the temperature you want from 98°C down to 80°C for more specialist teas and coffees
- **Eco-mode**
  Automatically turns the appliance off if its been inactive for prolonged periods, this saves on energy bills
- **Drip tray**
  Easy to remove, empty and gain access to change the filter cartridge

Filter Cartridge

Inhibits limescale buildup, removes waste and odours. **Contact us for details on how to purchase our replaceable filter cartridges.**

10L COUNTERTOP

Perfect for:

- Bars
- Coffee shops & cafés
- Offices

MADE IN BRITAIN

Also Available
in our Countertop Range...

5L COUNTERTOP
Perfect for:
- Small cafés
- Sandwich shops

20L COUNTERTOP
Perfect for:
- Restaurants
- Busy cafés

10L PUSH BUTTON
Perfect for:
- Offices
- Building sites
- Self serve

20L TWIN TAP
Perfect for:
- Large restaurants
- Large offices
- Requires hardwiring

Specification
at a glance...

Description	Model	SKU Code	Dimensions hxwxd (mm)	Weight (kg)	Colour
5L Countertop Autofill Fitration Water Boiler	AFCT5L EU	444442675	447x344x464	8.8	SS
10L Countertop Autofill Fitration Water Boiler	AFCT10L EU	4444422676	568x344x464	9.8	SS
20L Countertop Autofill Fitration Water Boiler	AFCT20L EU	444442677	689x344x464	11.4	SS
10L Countertop Push Button Autofill Fitration Water Boiler	AFCT10LPB EU	444442732	568x344x464	9.8	SS
20L Countertop Twin Tap Autofill Fitration Water Boiler	AFCT20LTT EU	444442678	689x344x464	11.7	SS
5L Wall Mounted Autofill Fitration Water Boiler	AFWM5L EU	444442679	497x344x279	6.4	SS

5L WALL MOUNTED
Perfect for:
- Building sites
- Where counter space is tight
- Easy to access filter cartridge

Autofill Boilers

We also offer a range of Autofill water boilers without any filtration. These are available as countertop or wall-mounted options and will also need connecting to a mains water supply. Users should ensure these appliances are descaled regularly.

Reasons to choose one of our NEW water boilers:

- **Control panel**
  With on/off button and “warning” LED indicating scale buildup
- **Preset water temperature**
- **Patented tap**
  Can be switched between controllable or constant flow
- **Large tank capacity**
  Ideal for most premises
- **Heats and dispenses water at 98°C**
- **Sturdy stainless steel construction**
  Easy to keep clean
- **Removable drip tray**
  With chrome insert. Easy to empty and keep clean. Dishwasher friendly

Touch Controller

Features power on/off switch and descale warning

10L COUNTERTOP

Perfect for:

- Bars
- Coffee shops & cafés
- Offices

MADE IN BRITAIN

20L COUNTERTOP

Perfect for:

- Restaurants
- Busy cafés

Specification

at a glance...

Description	Model	SKU Code	Dimensions hxwxd (mm)	Weight (kg)	Colour
10L Countertop Autofill Unfiltered Water Boiler	CT10L EU	444442682	568x344x464	9.6	SS
20L Countertop Autofill Unfiltered Water Boiler	CT20L EU	444442683	689x344x464	11.2	SS
3L Wall Mounted Autofill Unfiltered Water Boiler	WM3L EU	444442684	346x344x279	4.8	SS
7.5L Wall Mounted Autofill Unfiltered Water Boiler	WM7.5L EU	444442685	447x344x279	6.2	SS

Also Available

Wall Mounted Autofill Water Boilers

3kW

Perfect for:

- Building sites
- 2 sizes available
- Ideal for when countertop space is restricted

3L WALL MOUNTED

7.5 WALL MOUNTED

DELUXE Manual Fill Boilers

Ideal for clubs, community and leisure centres, small offices, construction sites, outside caterers and small cafés, Burco's manual fill boilers allow you to offer your customers piping hot beverages with the convenience of manoeuvrability, offering either a continuous flow during busy periods or occasional use at quieter times, thanks to the dual function safety tap. It requires just a 13amp connection.

Reasons to choose one of our NEW DELUXE manual fill water boilers:

- **Unique patented locking tap design**
  So you can switch from constant flow to one that you control
- **Flush lid handle with fingertip guard**
  For extra safety against hot surfaces and steam
- **Easy clean stainless steel construction**
  Ensures minimum maintenance
- **Heating element**
  Fitted with a thermal cut-out which protects the boiler from damage if it is allowed to boil dry or is switched on without water
- **CE marked and EMC tested**
  For reassurance and peace of mind
- **13 amp power supply**
  Plug in and get boiling

DELUXE 20L COUNTERTOP

Perfect for:
- Restaurants
- Busy cafés

DELUXE 10L COUNTERTOP

Perfect for:
- Bars
- Coffee shops & cafés
- Offices

MADE IN BRITAIN

Also Available
in our Manual Fill Range...

10L COUNTERTOP | 20L COUNTERTOP | 30L COUNTERTOP

2.5L COUNTERTOP | 8L COUNTERTOP

Plug and Go Boilers

Our plug and go boilers available in a variety of capacities come complete with our unique patented locking tap suitable for plugging into the mains electricity. As with the deluxe model, they are CE marked and EMC tested for reassurance and peace of mind.

Front of House Boilers

Our stylish front of house boilers come with a safety twist lock lid with integral handles which protects customers and caterers from escaping steam.

Specification
at a glance...

Description	Model	SKU Code	Dimensions hxwxd (mm)	Weight (kg)	Colour
10L Countertop DELUXE Manual Fill Water Boiler	MF10L EU	444442680	568x344x464	9.6	SS
20L Countertop DELUXE Manual Fill Water Boiler	MF20L EU	444442681	689x344x464	11.4	SS
10L Plug and Go Manual Fill Water Boiler	MFCT10ST EU	444443209	405x300x335	3	SS
20L Plug and Go Manual Fill Water Boiler	MFCT20ST EU	444443210	405x390x430	4	SS
30L Plug and Go Manual Fill Water Boiler	MFCT30ST EU	444443211	505x390x440	4.4	SS
2.5L Front of House Manual Fill Water Boiler	MFC2T EU	444443207	240x250x325	2	SS
8L Front of House Manual Fill Water Boiler	MFC8T EU	444443208	240x250x530	3.2	SS

Range Cooking

Titan is rapidly becoming one of the leading names in catering equipment, the range provides the ultimate in cooking power and energy efficiency. Available in 4 burner, 6 burner and dual fuel options, Burco Titan ranges offer powerful 6.1kW hob burners to ensure fast cooking for any busy kitchen. So powerful it will bring a 20 litre stock pot to boil over a minute faster than the closest leading competitor.

Reasons to choose one of our Titan cookers:

- **Powerful hob**
  6x 6.1kW burners offer great cooking performance
- **2/1 Gastronorm capacity 6kW oven**
- **Heavy duty lockable castors**
  Fitted as standard on all Titan ranges
- **Choose between natural gas or LPG**
  Both with an electric oven
- **Flame failure device**
  Fitted to all gas models

NAT GAS LPG

TITAN
4 BURNER

Perfect for:

- Smaller cafés and restaurants

Splashback

Maximise space and minimise cleaning with our **NEW** integrated Titan splashback and plate shelf.

MADE IN BRITAIN

Also Available
Countertop Cooking Appliances

COUNTERTOP CONVECTION OVEN

- 59 litre, 2/3 Gastronorm compatible oven
- 2 shelves and 4 shelf positions
- 0-120 minute timer gives you control
- Drop down door with removable glass for cleaning
- Internal oven light fitted as standard
- Robust stainless steel finish
- 0-250˚C temperature range
- European 2-pin plug

COMMERCIAL BABY BELLING

- Combined oven and hob unit with 6 temperature settings for control
- 70-245˚C oven temperature range with 6 settings
- Reinforced steel door to cope with a busy commercial environment
- Fixed grill offering an additional mode of cooking
- Easy to clean enamelled steel body and removable oven roof for cleaning access
- European 2-pin plug

Specification
at a glance...

Description	Model	SKU Code	Dimensions hxwxd (mm)	Weight (kg)	Colour
Titan 6 Burner	RG90NG EU	444443217	940x900x805	110	SS
	RG90LP EU	444443218	940x900x805	110	SS
	RG90DF/NG EU	444443220	940x900x805	110	SS
	RG90DF/LPG EU	444443221	940x900x805	110	SS
	SPLASHBACK EU	444441812	530x895x360	8.3	SS
Titan 4 Burner	RG60NG EU	444443219	940x600x805	80	SS
Countertop Convection Oven	CTC002 EU	444443215	395x610x600	24	SS
Commercial Baby Belling	BBEL01SS EU	444443216	409x482x430	23	SS
Commercial Baby Belling Stand	BBEL420STAND EU	444440337	532x482x419	5	SS

Heated Display Cabinets

The new range of Burco heated display cabinets offer an effective solution for all your impluse hot food display requirements. With illuminated interiors and glass to front and rear, these versatile heated cabinets are perfect for pies, pastries, breakfast goods and pizzas.

There are two sizes to choose from – our larger 60 capacity unit for higher volume storage, as well as a more portable 20 capacity unit for outlets requiring a smaller and more efficient product. The 20 capacity model is conveniently built to hold a 12" pizza for greater versatility.

20 CAPACITY HEATED DISPLAY CABINET

Perfect for:

- Smaller cafés

Our Heated Display Cabinets can be personalised with your own brands. Please contact us for details.

Crumb Tray

Removable Crumb tray – easy to empty and clean

Reasons to choose one of our Heated Display Cabinets:

- **Variable temperature setting**
  Adjust the dial to your required internal temperature (30°C to 85°C range)
- **Internal light**
  Illuminated interior allows good visibility without needing to open doors
- **Removable crumb trays**
  Specially designed to catch any crumbs or debris falling through the base to prevent them falling on the element.
- **Indicator lights**
  Two neon lights indicate when the unit is switched on and heating up
- **Easy to remove toughened safety glass**
  Maintains heat in the cabinet but is strong enough to be removed regularly for cleaning
- **Non-slip feet**
  Safety feature to ensure the unit doesn't move easily when sited on a counter

MADE IN BRITAIN

Also Available
Mobile Handwash

- Ideal for Commercial or Medical use
- Temperature limited to 42˚C for comfort and safety
- Large wheels make transport safe and easy

Specification
at a glance...

Description	Model	SKU Code	Dimensions hxwxd (mm)	Weight (kg)	Colour
60 Capacity Heated Display Cabinet	PC60 EU	444443214	420x740x410	24.6	SS
20 Capacity Heated Display Cabinet	PC20 EU	444443213	420x405x410	16.2	SS
Mobile Handwash	HW01 EU	444443212	890x390x415	8.8	SS

Glen Dimplex
PROFESSIONAL APPLIANCES

Lec COMMERCIAL

Other products also available from Glen Dimplex Professional Appliances

CATERING REFRIGERATION >

< BOTTLE & WINE COOLERS

For more information on the Lec Commercial range visit:
www.lec-commercial.co.uk

Product Specifications

AUTOFILL FILTRATION WATER BOILERS

Model No Description	AFCT5L EU Boiler 5L	AFCT10L EU Boiler 10L	AFCT20L EU Boiler 20L	AFCT10LPB EU Boiler 10L	AFCT20LTT EU Boiler 20L	AFWM5L EU Boiler 5L
SKU code	444442675	444442676	444442677	444442732	444442678	444442679
Capacity (L)	5	10	20	10	20	5
Product dimensions (mm) (wxdxh)	344x464x447	344x464x568	344x464x689	344x320x568	344x464x689	344x279x497
Packed dimensions (mm) (wxdxh)	450x550x530	450x550x640	450x550x760	450x550x640	450x550x760	340x410x575
Product weight (kg)	8.8	9.8	11.4	11.6	11.7	6.4
Packed weight (kg)	11.5	12.7	14.4	14.7	14.7	7.8
Heat up time to 98°C (mins)	22.5	34	56	34	34	29
Tap height (mm) (from driptray)	170	220	220	N/A	220	N/A
Concealed element	Yes	Yes	Yes	Yes	Yes	Yes
Variable thermostat	Yes	Yes	Yes	Yes	Yes	Yes
Boil dry cut-out	Yes	Yes	Yes	Yes	Yes	Yes
Power rating (kW)	3	3	3	3	6	3
Voltage supply (V)	230	230	230	230	400	230
Euro 2 pin plug	Yes	Yes	Yes	Yes	Yes	Yes
Fitted cable length (M)	1.7	1.7	1.7	1.7	1.7	1.7
Nonslip feet for safety	Yes	Yes	Yes	Yes	Yes	-

AUTOFILL UNFILTERED WATER BOILERS

Model No Description	CT10L EU Boiler 10L	CT20L EU Boiler 20L	WM3L EU Boiler 3L	WM7.5L Eu Boiler 7.5L
SKU code	444442682	444442683	444442684	444442685
Capacity (L)	10	20	3	7.5
Product dimensions (mm) (wxdxh)	344x464x568	344x279x689	344x279x346	344x279x497
Packed dimensions (mm) (wxdxh)	450x550x640	450x550x760	410x340x340	410x340x575
Product weight (kg)	9.6	11.2	4.8	6.2
Packed weight (kg)	12.5	11.2	5.9	7.6
Heat up time to 98°C (mins)	34	56	-	29
Tap height (mm) (from driptray)	220	220	N/A	N/A
Concealed element	Yes	Yes	Yes	Yes
Variable thermostat	Yes	Yes	Yes	Yes
Boil dry cut-out	Yes	Yes	Yes	Yes
Power rating (kW)	3	3	3	3
Voltage supply (V)	230	230	230	230
Euro 2 pin plug	Yes	Yes	No	No
Fitted cable length (M)	1.7	1.7	1.7	1.7
Securable feet	Yes	Yes	-	-

MANUAL FILL WATER BOILERS

Model No Description	MFC2T EU Boiler 2.5L	MFC8T EU Boiler 8L	MFCT10ST EU Boiler 10L	MFCT20ST EU Boiler 20L	MFCT30ST EU Boiler 30L
SKU code	444443207	444443208	444443209	444443210	444443211
Capacity (L)	2.5	8	10	20	30
Product dimensions (mm) (wxdxh)	240x250x325	240x250x530	300x335x405	390x430x405	390x440x505
Packed dimensions (mm) (wxdxh)	275x275x440	270x230x595	345x345x405	450x450x405	450x450x520
Product weight (kg)	2	3.2	3	4	4.4
Packed weight (kg)	2.6	4.2	3.8	5.4	5.8
Heat up time (mins)	7	20	25	45	70
Tap height (mm)	118	118	115	130	130
Concealed element	Yes	Yes	Yes	Yes	Yes
Variable thermostat	Yes	Yes	Yes	Yes	Yes
Carry handles	Yes	Yes	Yes	Yes	Yes
Boil dry cut-out	Yes	Yes	Yes	Yes	Yes
Power rating (kW)	2	2	3	3	3
Voltage supply (V)	220/240	220/240	220/240	220/240	220/240
Euro 2 pin plug	Yes	Yes	Yes	Yes	Yes
Fitted cable length (M)	1	1	1.7	1.7	1.7
Securable feet	-	-	-	-	-

DELUXE MANUAL FILL WATER BOILERS

Model No Description	MF10L EU Boiler 10L	MF20L EU Boiler 20L
SKU code	444442680	444442681
Capacity (L)	10	20
Product dimensions (mm) (wxdxh)	344x464x568	344x464x689
Packed dimensions (mm) (wxdxh)	450x550x640	450x550x760
Product weight (kg)	9.8	11.4
Packed weight (kg)	12.7	14.4
Heat up time (mins)	30	60
Tap height (mm) (from driptray)	220	220
Concealed element	Yes	Yes
Variable thermostat	Yes	Yes
Boil dry cut-out	Yes	Yes
Power rating (kW)	3	3
Voltage supply (V)	230	230
Euro 2 pin plug	Yes	Yes
Fitted cable length (M)	1.7	1.7
Securable feet	Yes	Yes

HEATED DISPLAY CABINETS

Model No Description	PC20 EU Heated Display Cabinet - 20	PC60 EU Heated Display Cabinet - 60
SKU code	444443213	444443214
Product dimensions (mm) (wxdxh)	405x410x420	740x410x420
Packed dimensions (mm) (wxdxh)	450x530x460	780x530x460
Product weight (kg)	16.2	24.6
Packed weight (kg)	17.9	27
Pie capacity (108mm diam pies)	20	60
Removable crumb tray(s)	Yes (x1)	Yes (x2)
Temperature range	30 - 85°C	30 - 85°C
No of shelves/positions	3/12	3/12
Door type	Hinged	Sliding
Internal light (W)	Yes (15)	Yes (15)
Non slip feet for safety	Yes	Yes
Power rating (kW)	0.4	0.8
UK 3 pin plug	Yes	Yes
Voltage supply (V)	220/240	220/240
Fitted Cable Length (M)	1.7	1.7

TITAN RANGE

Model No Description	RG90NG EU 6 Burner Nat Gas	RG90LP EU 6 Burner LPG	RG60NG EU 4 Burner Nat Gas	RG90DFNG EU 6 Burner Dual Fuel Nat Gas	RG90DFLPG EU 6 Burner Dual Fuel LPG
SKU code	444443217	444443218	444443219	444443220	444443221
Product dimensions (mm) (wxdxh)	900x805x940	900x805x940	600x805x940	900x805x940	900x805x940
Packed dimensions (mm) (wxdxh)	940x840x1075	940x840x1075	640x840x1075	940x840x1075	940x840x1075
Product weight (kg)	117	117	80	110	110
Packed weight (kg)	146	146	86	134	134
Gastronorm compatible	Yes (2/1)	Yes (2/1)	Yes (1/1)	Yes (2/1)	Yes (2/1)
Hob burner rating (kW)	6.1 (20,813 Btu/hr)	5.4 (18,425 Btu/hr)	6.1 (20,813 Btu/hr)	6.1 (20,813 Btu/hr)	5.4 (18,425 Btu/hr)
Oven rating (kW)	9.0 (30,708 Btu/hr)	9.0 (30,708 Btu/hr)	6.0 (20,472 Btu/hr)	5.0	5.0
Total rating (kW)	45.6 (155,586 Btu/hr)	41.4 (141,258 Btu/hr)	30.4 (103,725 Btu/hr)	41.6 (20,813 Btu/hr)	37.4 (18,425 Btu/hr)
Fitted castors	Yes	Yes	Yes	Yes	Yes
Number of shelves/shelf positions	2/4	2/4	2/4	2/4	2/4
Useable shelf size (mm) (wxd)	651x524	651x524	351x524	651x524	651x524
Oven capacity (L)	180	180	94	178	178
Oven capacity dimensions (mm) (wxdxh)	651x524x500	651x524x500	353x500x534	650x545x500	650x545x500
Oven temperature range	0 - 270°C	0 - 270°C	0 - 270°C	0 - 250°C	0 - 250°C
Inlet connection	3/4 " BSP (female)	3/4 " BSP (female)	3/4 " BSP (female)	3/4 " BSP (female)	3/4 " BSP (female)

OVENS / MICROWAVES

Model No Description	BBEL01SS EU Commercial Baby Belling	CTC002 EU Countertop Convection Oven
SKU code	444443216	444443215
Product dimensions (mm) (wxdxh)	482x430x409	615x615x375
Packed dimensions (mm) (wxdxh)	500x450x560	660x710x390
Product weight (kg)	23	24
Packed weight (kg)	24	26
Oven capacity (gross) (L)	29	59
Oven cavity dimensions (mm) (wxdxh)	405x295x240	435x370x297
Oven temperature range	70 - 245°C	0 - 250°C
Oven output power (W)	1300	2500
Internal light (W)	No	Yes (25)
Gastronorm compatible	No	Yes (2/3)
Variable power levels	Yes	No
Non slip feet for safety	Yes	Yes
Power rating (kW)	2.5	2.5
Voltage supply	220/240	220/240
UK 3 pin plug	Yes	Yes
Fitted cable length (M)	1.8	1.7

ACCESSORIES

Model No Description	BBEL240STAND EU Stand Baby Belling	SPLASHBACK EU Splashback Titan	CTC001STD EU Stand Lrg Convec Oven	HW01 EU Mobile Handwash
SKU code	444440337	444441812	444441579	444443212
Product dimensions (mm) (wxdxh)	482x419x532	895x530x360	800x600x700	390x415x840(Unit) + 175(tap)
Packed dimensions (mm) (wxdxh)	565x460x570	1010x500x90	810x610x710	435x465x890
Product weight (kg)	5	8.3	16.5	8.8
Packed weight (kg)	5.3	9	17	10.8
Colour	Black	Stainless steel	Stainless steel	Stainless steel
Material	Steel	Stainless steel	Stainless steel	Stainless steel